

# DEVELOPMENT OF INSECTICIDE APPLICATION TECHNOLOGY TO RICE PLANTHOPPERS THAT ARE IMPORTANT TRANSBOUNDARY PLANT PESTS IN ASIA

**Sachiyo Sanada-Morimura <sup>1</sup> and Mizuki Matsukawa <sup>2</sup>**

<sup>1</sup> Group Leader, Kyushu Okinawa Agricultural Research Center, National Agriculture and Food Research Organization (NARO), Japan

<sup>2</sup> Researcher, Japan International Agricultural research Center for Agricultural Sciences (JIRCAS), Japan

---






**Sachiyo Sanada-Morimura** has been the Group Leader of Pest Management Group, Kyushu Okinawa Agricultural Research Center, NARO, since 2018. She received her Ph.D. from Tokyo University of Agriculture and Technology in 1999. She joined the National Agricultural Research Center, NARO, under the Research Fellowship for Young Scientists program of the Japan Society for the Promotion of Science, and worked there until she moved to her present research institute in 2008. Her main work focuses on insecticide resistance in rice planthoppers.

**Mizuki Matsukawa** earned her Ph.D. from Nagoya University in 2016. She has been working on methods to control rice planthoppers in Vietnam and Cambodia as a researcher at Japan International Research Center for Agricultural Sciences (JIRCAS) since 2016.



## ABSTRACT

Rice planthoppers migrate from the northern part of Vietnam to the southern part of China and western part of Japan every year. They increase drastically in their immigrated areas and cause serious damage to rice. They are known to develop resistance to various insecticides which is one of the most important factors causing serious damage around Asia in recent years. In this presentation, we introduce the collaborative research project of the National Agriculture and Food Research Organization (NARO) and Japan International Research Center for Agricultural Sciences (JIRCAS) to develop insect pest management strategies for rice planthoppers in Asia. NARO has monitored the susceptibilities of insects to various insecticides (i.e. organic phosphate, carbamate, pyrethroid, phenylpyrazole, and neonicotinoid) in Japanese populations of rice planthoppers every year for a long-term period, while noting the development of resistance to some insecticides. For imidacloprid susceptibility in *Nilaparvata lugens*, which shows a very strong development of resistance, we compared the progress of insecticide-resistance development in many populations in Southeast Asia and East Asia. As the result, it has been revealed that the modes of insecticide resistance development have synchronized among insect pests in northern Vietnam, southern China, and western Japan. It shows the importance of monitoring insecticide susceptibility throughout Asia, not only in immigrated areas but also in areas of emigration, and share the information for solving the insecticide-resistance problem. NARO has developed a new method for monitoring insecticide susceptibility and created the general manual for monitoring. In addition to briefly explaining the contents of this manual, we introduce our efforts to expand its use in Asia. JIRCAS has conducted a research activity titled “Population dynamics of rice planthoppers and relationship with agricultural activities in Vietnam” under the JIRCAS research project “Development of technologies for the control of migratory plant pests and transboundary diseases” since 2016. It aims to clarify 1) the population dynamics of planthoppers and natural enemies, 2) the insecticide resistance of planthoppers against the insecticides used by farmers, and 3) the tolerance to planthoppers of the variety used by farmers in the central and northern part of Vietnam. These are important components to consider for establishing an integrated pest management (IPM) system to control rice planthoppers in Vietnam. JIRCAS collaborates with the Plant Protection Research Institute and five sub-departments of Plant Protection under the Ministry of Agriculture and Rural Development in Vietnam, and NARO in Japan. Our current results are briefly introduced in this presentation.





### Manual for testing insecticide susceptibility

1. Training of monitoring method for testing insecticide susceptibility
2. Sharing information about BPH management among NARO, JIRCAS and PPRI (Plant Protection Research Institute).






## Challenge from JIRCAS for insecticide resistance management




### Population dynamics of rice planthoppers

- Clarify the migration of rice planthoppers in the central and northern Vietnam
- Peaks were observed in Apr-May, and trajectory analysis showed the wind from northern Vietnam to South China



### Effect of insecticide application to density of rice planthoppers in farmers' fields

- Clarify the insecticide use by farmers and its effect on the density of planthoppers in the farmers' fields
- Low effect on planthopper's density by number of insecticide application



Factor	df	Estimated value	χ²	P value
Location	1	0.4301119	4296.0328	<0.001*
Season	1	-0.309063	662.63372	<0.001*
Number of insecticide applied	1	0.0150648	22.469658	<0.001*
Spider	1	0.0190922	4534.7916	<0.001*
Windbug	1	0.0688881	6265.5391	<0.001*

### Monitoring of the insecticide susceptibility on rice planthoppers

- Monitor the yearly fluctuation of insecticide susceptibility on rice planthoppers in Vietnam using topical application (2018-)

**Insect populations**  
Nam Dinh, Vinh Phuc, Hue, Phu Yen, Dong Thap

**Chemical ingredients**  
Dinotefuran, Nitenpyram, Thiametoxam, Clothianidine, Imidacloprid, Pyrethroids

LD<sub>50</sub> values in 2018 showed the similar tendency with BPH populations in Japan




### Future Plans of Collaboration

There is a fear that rice planthoppers would develop strong resistance against the popular insecticides and its outbreak would be occurred again in near future

Collaboration research on insecticide resistance, population dynamics and migration will be conducted to establish the management of insecticide resistance in Southeast and East Asia



